

The Gazette



of

India

PUBLISHED BY AUTHORITY

No. 9]

NEW DELHI, SATURDAY, MARCH 2, 1957

PART II-Section 4

**Statutory Rules and Orders issued by the
Ministry of Defence**
MINISTRY OF DEFENCE

S.R.O. 78, dated, 15th Feb. 1957.—In exercise of the powers conferred by sub-section (2) of section 12 of the National Cadet Corps Act, 1948 (31 of 1948) read with sub-rule (2) of rule 42 of the National Cadet Corps Rules, 1948, the Central Government hereby appoints Lt. Col. J. N. Ghosh, AA & QMG, HQ Assam Base, to be a member of the State Advisory Committee for the State of Assam and makes the following further amendment in the notification of the Government of India in the Ministry of Defence, No. S.R.O. 134, dated the 2nd April, 1956, namely:—

In the said Notn. for the entry "5. Colonel Bireswar Nath, Commander Assam Base.", the entry "5. Lt. Col. J. N. Ghosh, AA & QMG, HQ Assam Base." shall be substituted.

G. C. L. JONEJA, Dy. Secy.

S.R.O. 79, dated 19th Feb. 1957.—In exercise of the powers conferred by sub-section (1) of section 4 of the Cantonment Act, 1924 (II of 1924), the Central Government after consulting the Government of the State of Uttar Pradesh and the Agra Cantonment Board declares its intention to exclude from the limits of the Cantonment of Agra all the area measuring 198·303 Acres (approximately) as specified in the Schedule annexed thereto.

2. Any objection to the above proposal which any inhabitant of the Agra Cantonment may, within six weeks from the date of its notification, submit in writing to the Central Government through the General Officer Commanding-in-Chief, Eastern Command, will be taken into consideration.

SCHEDULE OF BOUNDARIES

Description of the areas to be excluded from the limits of Agra Cantonment.

Boundary Pillar No.	Description	Forward bearing from true North		Direct Horizontal Distance in Feet
		Degrees	Mins.	
17 to 18	From Pillar No. 17 which is situated between Jamuna Road and bank of Jamuna to South east of Jamuna Road bridge, the boundary runs to the North Westerly direction to Pillar No. 18 which is situated on the west bank of Jamuna and to the North of Iron Railway Bridge	342	50	3885

Boundary Pillar No.	Description	Forward bearing from true North		Direct Horizontal Distance in feet
		Degrees	Mins.	
18 to 19	From Pillar No. 18 the boundary runs to the Westerly direction to pillar No. 19 which is situated in Nallah against wall of a building	269	25	227½
19 to 20	From pillar No. 19 the boundary runs to the westerly direction to pillar No. 20 which is situated towards south of Agra City	238	10	29½
20 to 21	From pillar No. 20 the boundary runs to the westerly direction to pillar No. 21 which is situated at the North end of down stream parapet of culvert over drain towards south of Agra City	267	55	389
21 to 22	From pillar No. 21, the boundary runs to the south westerly direction to pillar No. 22 which is situated towards south of Agra City	276	0	148
22 to 23	From pillar No. 22, the boundary runs to the south westerly direction to pillar No. 23 which is situated towards south of Agra City	234	15	169
23 to 24	From pillar No. 23, the boundary runs to the south westerly direction to pillar No. 24 which is situated towards south of Agra City	234	15	26½
24 to 25	From pillar No. 24, the boundary runs to the south westerly direction to pillar No. 25 which is situated towards south of Agra City	241	0	80
25 to 26	From pillar No. 25, the boundary runs to the south westerly direction to pillar No. 26 which is situated towards south of Agra City	214	50	137
26 to 27	From pillar No. 26, the boundary runs towards south westerly direction to pillar No. 27 which is situated towards south of Agra City	233	50	203
27 to 28	From pillar No. 27, the boundary runs to the south westerly direction to pillar No. 28 which is situated towards south of Agra City	250	35	138
28 to 29	From pillar No. 28, the boundary runs to the south westerly direction to pillar No. 29 which is situated towards south of Agra City	249	55	83
29 to 30	From pillar No. 29, the boundary runs to the south westerly direction to pillar No. 30, which is situated towards south of Agra City	271	35	87
30 to 31	From pillar No. 30 the boundary runs to the south westerly direction to pillar No. 31 which is situated towards south of Agra City	242	25	144
31 to 32	From pillar No. 31, the boundary runs to the south westerly direction to pillar No. 32 which is situated towards south of Agra City	280	25	36
32 to 33	From pillar No. 32, the boundary runs to the south westerly direction to pillar No. 33 which is situated towards south of Agra City	252	25	54
33 to 34	From pillar No. 33, the boundary runs to the south westerly direction to pillar No. 34 which is situated towards south of Agra City	242	0	69
34 to 35	From pillar No. 34, the boundary runs to the south westerly direction to pillar No. 35 which is situated towards south of Agra City	262	0	142
35 to 36	From pillar No. 35, the boundary runs to the south westerly direction to pillar No. 36 which is situated to the south portion of Agra City	189	40	46
36 to 37	From pillar No. 36, the boundary runs to the south westerly direction to pillar No. 37 which is situated to the south portion of Agra City	189	40	53

Boundary Pillar No.	Description	Forward bearing from true North		Direct Horizontal Distance in Feet
		Degrees	Mins.	
37 to 38	From pillar No. 37, the boundary runs to the south westerly direction to pillar No. 38 which is situated to the south portion of Agra City	220	30	98
38 to 39	From pillar No. 38 the boundary runs to the south westerly direction to pillar No. 39 which is situated to the south portion of Agra City	260	25	94
39 to 40	From pillar No. 39 the boundary runs to the south westerly direction to pillar No. 40 which is situated to the south portion of Agra City	203	50	114
40 to 41	From pillar No. 40, the boundary runs to the south westerly direction to pillar No. 41 which is situated to the south portion of Agra City	225	30	80
41 to 42	From pillar No. 41, the boundary runs to the south westerly direction to pillar No. 42 which is situated to the south portion of Agra City	272	30	130
42 to 43	From pillar No. 42, the boundary runs to the south westerly direction to pillar No. 43 which is situated to the south portion of Agra City	236	0	43½
43 to 44	From pillar No. 43, the boundary runs to the south westerly direction to pillar No. 44 which is situated to the south portion of Agra City and north west corner of Jama masjid	216	25	321
44 to 45	From pillar No. 44, the boundary runs to the south westerly direction to pillar No. 45 which is situated to the south portion of Agra City	216	25	159
45 to 46	From pillar No. 45, the boundary runs to the south westerly direction to pillar No. 46 which is situated to the south portion of Agra City	217	45	116
46 to 47	From pillar No. 46 the boundary runs to south easterly direction to pillar No. 47 which is situated to the southern side of Nallah running to Jamuna	161	0	228
47 to 48	From pillar No. 47 the boundary runs to the south easterly direction to pillar No. 48 which is situated to the North of Railway fence	173	0	322
48 to 49	From pillar No. 48, the boundary runs to the south easterly direction to pillar No. 49 which is situated to the east of Agra City	175	30	218
49 to 50	From pillar No. 49, the boundary runs to the south easterly direction to pillar No. 50 which is situated to the east of Agra City.	133	10	39
50 to 51	From pillar No. 50 the boundary runs to the south easterly direction to pillar No. 51 which is situated to the east of Agra City	167	45	119
51 to 52	From pillar No. 51 the boundary runs to the south easterly direction to pillar No. 52 which is situated to the east of Agra City	164	15	99
52 to 53	From pillar No. 52 the boundary runs to the south easterly direction to pillar No. 53 which is situated to the east of Agra City	195	30	61
53 to 54	From pillar No. 53 the boundary runs to the south westerly direction to pillar No. 54 which is situated to the east of Agra City	156	50	57
54 to 55	From pillar No. 54, the boundary runs to the south westerly direction to pillar No. 55 which is situated to the East of Agra City	208	30	94

Boundary pillar No.	Description	Forward bearing from true North		Direct Horizontal distance in feet
		Degrees	Mins.	
55 to 56	From pillar No. 55, the boundary runs to the south easterly direction to pillar No. 56 which is situated to the east of Agra City	140	15	89
56 to 57	From pillar No. 56, the boundary runs to the south easterly direction to pillar No. 57 which is situated to the east of Agra City	186	15	51
57 to 58	From pillar No. 57, the boundary runs to the south easterly direction to pillar No. 58 which is situated to the east of Agra City	175	0	189
58 to 59	From pillar No. 58, the boundary runs to the South Westerly direction to pillar No. 59 which is situated to the east of Agra City	187	0	162
59 to 60	From pillar No. 59, the boundary runs to the South-westerly direction to pillar No. 60 which is situated in the low ground at corner of a clamp of building	197	40	591
60 to 61	From pillar No. 60, the boundary runs to the Westerly direction to pillar No. 61 which is situated in North East of Chhipitola on bank of east of road	284	15	280
61 to 62	From pillar No. 61, the boundary runs to the South westerly direction to pillar No. 62 which is situated to the East of road through Chhipitola on bank at road-side	191	0	484
62 to 63	From pillar No. 62, the boundary runs to the South-westerly direction to Pillar No. 63 which is situated at the North of Fatehabad Road	189	30	529
63 to 64	From pillar No. 63, the boundary runs to the South westerly direction to Pillar No. 64, which is situated to the east of Agra Cantt.	179	30	321
64 to 65	From pillar No. 64, the boundary runs to the South easterly direction to Pillar No. 65 which is situated to the North bank of Nallah	174	45	355
65 to 66	From pillar No. 65, the boundary runs to the South-westerly direction to pillar No. 66 which is situated at road side on North of Road	176	30	398
66 to 67	From pillar No. 66, the boundary runs to the South easterly direction to pillar No. 67 which is situated to the East of Kutchery road at Road-side	138	45	375
67 to 68	From pillar No. 67, the boundary runs to the South-easterly direction to Pillar No. 68 which is situated at junction of Ajmer Road at Gwalior Road alongside parapet of culvert under Ajmer Road	162	40	1217
68 to 68A	From pillar No. 68 the boundary runs to the North easterly direction to proposed pillar No. 68A which is situated at the south west corner of Bungalow No. 174, Boileauganj	70	0	129
68A to 68B	From pillar No. 68A the boundary runs to the south easterly direction to proposed pillar No. 68B which is situated towards south east corner of B. No. 159 Boileauganj	99	10	781
68B to 68C	From pillar No. 68B the Boundary runs to the Northerly direction to proposed pillar No. 68C which is situated towards south east corner of H.No. 291, Boileauganj	4	10	273
68C to 68D	From pillar No. 68C, the boundary runs to the North easterly direction to proposed pillar No. 68D which is situated towards south east corner of Bungalow No. 162	30	30	493
68D to 68E	From pillar No. 68D, the boundary runs to the north westerly direction along the Northern boundary of Sy. No. 331 of the G.L.R. to proposed pillar No. 68E which is situated at the western berm of Gwalior Road	321	5	1445

Boundary Pillar No.	Description	Forward bearing		Direct Horizontal Distance in Feet
		Degrees	Mins	
68E to 68F	From pillar No. 68E, the boundary runs to the Northerly direction along the western berm of Gwalior Road to proposed pillar No. 68F which is situated at the southern and eastern corner ofolia and Gwalior Road	351	30	837
68F to 68G	From pillar No. 68F, the boundary runs to the northerly direction along the western berm of Gwalior Road to proposed pillar No. 68G which is situated at the northern berm of Jamma Masjid road and south east corner of Baghichi Hajjan Khan	7	0	2508
68G to 68H	From pillar No. 68G, the boundary runs to the North westerly direction along the northern berm of Jamma Masjid road to proposed pillar No. 68H which is situated towards north west corner of Railway Bridge	314	15	322
68H to 68I	From pillar No. 68H, the boundary runs to the north easterly direction along the Agra Fort Railway fence to proposed pillar No. 68I which is situated towards North east corner of G.L.R. Sy. No. 288/72	29	0	1098
68I to 68J	From pillar No. 68I, the boundary runs to the North-easterly direction along the Agra Fort Railway Fence to proposed Pillar No. 68J which is situated at the southern berm of Rawatpara Road opposite Belanganj Road and Rawatpara Road junction	62	0	1501
68J to 68K	From Pillar No. 68J, the boundary runs to the North Easterly direction along the Agra Fort Railway Fence to proposed Pillar No. 68K which is situated at the Southern side berm of Jamuna Road	81	30	855
68K to 17	From Pillar No. 68K, the boundary runs to the south easterly direction along the eastern berm of Jamuna Road to Pillar No. 17 which is situated between Jamuna Road and bank of Jamuna to east of Jamuna Road bridge	162	0	3706
71A to 72A	From proposed Pillar No. 71A which is situated at a distance of 155 feet from Pillar No. 71 and at the North-east corner of House No. 102, Pertabpura, the boundary runs towards the westerly direction to proposed Pillar No. 72A which is situated at the distance of 94 feet away from Pillar No. 72 at the North-East corner of crossing of Ajmer and Lowrance Road	277	47	744
72A to 72B	From Pillar No. 72A, the boundary runs to the South Westerly direction along the eastern berm of Lowrance Road to proposed Pillar No. 72B which is situated to the North East corner of junction of station Road and Lowrance Road	720	30	1719
72B to 72C	From Pillar No. 72B the boundary runs to the North-easterly direction along the northern berm of Station Road to proposed Pillar No. 72C which is situated at the south-East corner of P.W.D. Inspection House	72	0	1735
72C to 71A	From Pillar No. 72C the boundary runs to the North-Westerly direction to proposed Pillar No. 71A	358	5	961
73 to 73A	From Pillar No. 73 which is situated in the North west corner of G.L.R. Survey No. 1 the boundary runs to the South-Westerly direction to proposed pillar No. 73A which is situated at the southern corner of G.L.R. Survey No. 13 and at the western berm of Ajmer Road	204	10	590

Boundary Pillar No.	Description	Forward bearing from true North		Direct Horizontal Distance in Feet
		Degrees	Mins	
73A to 73B	From Pillar No. 73A the boundary runs in the North-easterly direction to proposed Pillar No. 73B which is situated 350 feet to the East of Pillar No. 73 at the western berm of Ajmer Road and at the northern corner of G.L.R. Survey No. 3	50	30	755
73B to 73	From Pillar No. 73B, the boundary runs to the North-westerly direction to Pillar No. 73 which is situated in the North-west corner of G.L.R. Survey No. 1	283	52	360

[No. 18/20/G/L&C/52.]

HIMMAT SINGH, Dy. Secy.

S.R.O. 80, dated, 15th Feb. 1957.—The following bye-laws for the regulation, conservation and protection from injury, contamination or trespass of sources and means of public water supply, the construction and maintenance of connections with water works and the regulation of all matters and things relating to the supply and use of water including the collection and recovery of charges therefor and the prevention of evasion of the same made by the Cantonment Board, Deolali in exercise of the powers conferred by clauses (32), (33) and (34) of section 282 and section 283 of the Cantonments Act, 1924 (2 of 1924), are published for general information the same having been previously published, and having been approved and confirmed by the Central Government as required by sub-section (1) of section 284 of the said Act, namely:—

Bye-laws for the regulation, conservation and protection from injury, contamination or trespass of sources and means of public water supply, the construction and maintenance of connections with water works and the regulation of all matters and things relating to the supply and use of water including the collection and recovery of charges therefor and the prevention of evasion of the same.

1. No person shall bathe or wash any animal, clothes, wool, leather, skins, utensils or any other things at any public stand post or hydrant or use such water for building purposes or otherwise wilfully cause a waste thereof.

2. No person other than a person duly authorised by the Cantonment Board for the purpose shall open, or in any way interfere with, any pipe, valve, plug or other fittings belonging to or appertaining to any public installation, other than a tap for drawing water.

3. No person shall tamper with any water tap, stand post, or hydrant belonging to the Cantonment Board so as to cause any damage to the mechanism or working of such tap, stand post, or hydrant.

4. No person shall wilfully waste or cause or allow to be wasted any water from any pipe, public stand post, hydrant, valve or fitting.

5. All water obtained from a public stand post or hydrant shall be carried therefrom in clean vessels of other utensils.

6. The Cantonment Board may, subject to the provision contained in Chapter XIII of the Cantonments Act, 1924 (2 of 1924), permit the owner or occupier of any building or land to connect such building or land with the public water supply mains for domestic or non-domestic use.

7. It shall be in the discretion of the Cantonment Board to lay water supply distribution mains in such streets or places as it may consider proper and to give connections for domestic or non-domestic purposes to such places, buildings, lands, or premises as may be reasonable in its opinion in the interest of efficient and economic water supply and the decision of the Cantonment Board in all such matters shall be final.

8. Every application for the supply of water under these bye-laws shall be in writing signed by the owner or occupier of the building or land in form "A" annexed to these bye-laws and the work necessary for such supply shall not be commenced until the applicant has deposited with the Executive Officer such estimated cost of expenditure and before such date as may be fixed by the said Officer in this behalf.

9. An application under bye-law No. 8 shall be accompanied by a connecting fee of Rs. 20 only for domestic purposes.

10. The estimated cost of expenditure referred to in bye-law No. 8 shall include a percentage of five of the actual cost of work to cover supervision charges.

11. A house service connection for a dwelling in which water would be consumed for domestic purpose shall be permitted on the metered system.

12. In every case in which a new service connection with the water supply through the Cantonment Board is made or an existing connection requires renewal or repair or alteration or extension, all necessary communication pipes and fittings from and including the ferrule on the supply main to and including the stop cock nearest the supply main shall be supplied by the Cantonment Board and the work of laying and applying such communication pipes and fittings upto the stop cock shall be executed by the Executive Officer but the cost of such work shall be met by the consumer who shall be liable to pay the said sum in advance before the connection is made or renewed.

13. The supply pipe for a house service connection shall be of such a bore in diameter as may be determined by the Executive Officer in each case. The size of the ferrule shall be less in size than the bore of the service pipe.

14. No service connection shall open into a latrine or be laid through it. No structure or obstruction shall be built over the buried service pipe.

15. No connection with the Water Supply through the Cantonment Board shall be made, renewed or altered or extended, except by a written authority of the Executive Officer, until the certificate specified in bye-law No. 17 has been given. The consumer shall not renew, alter or extend the connection within or without his house without the previous permission in writing of the Cantonment Board.

16. Communication pipes and fittings required for providing house service connection beyond the stop-cock inside the premises shall be provided by the consumer at his cost and no materials shall be used which are not approved by the Executive Officer and which do not conform to the standard specifications fixed by the Cantonment Board.

17. All communication pipes and fittings beyond the said stop cock shall be laid and applied by a plumber duly licensed by the Cantonment Board under the direct supervision of the Executive Officer or any subordinate duly authorised by him in this behalf who shall give and sign a certificate free of charge when such communication pipes and all necessary fittings and work have been laid, applied and executed in satisfactory manner and sufficient arrangements have been made for draining of waste water.

18. The Executive Officer or any other Officer or servant of the Cantonment Board authorised by it in writing in this behalf may, subject to the provisions of section 224 of the Cantonments Act, 1924, enter into any house or premises supplied with water by the Cantonment Board in order to inspect and test for water misused or contaminated or contamination of such water after giving sufficient notice.

19. Every house-owner or occupier shall afford all reasonable facilities for such inspection on pain of the water supply being cut off if any obstruction is offered.

20. Meters shall be supplied by the consumers at their own cost, which will nevertheless become the property of the Cantonment Board.

21. Maintenance and repairs of meters installed is the responsibility of the Cantonment Board. Normal maintenance and overhaul will be carried out by the Cantonment Board. In case of necessity of replacement of defective parts or renewal of the entire meter, the consumer may be made responsible for the purchase of the spares or of the new meter at his cost and supply to the Cantonment Board for necessary repair of old meter or replacing by it a new meter, as the case may be. If the consumer fails to procure the spares or the new meter, as called for, within 15 days after the notice is given, the Cantonment Board will be at liberty to disconnect the supply.

A reconnection charge of Rs. 10 will be recoverable from the consumer in addition to the aforesaid obligation.

22. All meters so installed shall be under the lock and key of the officers and servants of the Board or sealed by them and be maintained and repaired and read by them in the presence of the owner or his representative.

23. No meter shall in any way be tampered with by the consumer or any person on his behalf. The duty of safeguarding the meter from loss by theft or pilferage will devolve on the consumer who will otherwise be called upon to make good the loss.

24. On failure to recover any such sum from the occupier (consumer) who is primarily responsible for the payment of water charges, recovery be made from the owner of a building or land.

25. For water supplied, the rate charged shall be dependent on the bulk supply rate and other expenditure incurred by the Board on supplying water to consumers, and replacement charges. This rate is liable to be increased or decreased once a year at the discretion of the Cantonment Board. Due notice will be given of the change in the rate by the Cantonment Board to consumers at least a month in advance.

26. The Cantonment Board shall be at liberty, in its discretion, to close, stop, reduce or restrict the supply of water either in respect of quantity or hours of supply or classes of persons or premises and the Cantonment Board shall not be liable to pay any damages for any such act or omission.

27. All consumers of water supply shall deposit with the Cantonment Board an amount equivalent to the charges for two months' consumption in advance and the monthly charge for the water consumed shall be payable within one month following the month to which the consumption relates. If there shall be any default in the payment of water charges consecutively for two months, the amount payable for the period shall be deducted from the deposit amount. However, if the consumer in the mean time reimburses his deposit, the water supply shall be continued or else, the water connection shall be cut off. Once dismantled a reconnection fee of Rs. 10 is recoverable from the consumer in addition to payment of his dues outstanding to-date.

28. Every meter shall be read once in a month, as far as possible on identical days and the reading shall be noted in the cards.

29. Any complaint as to the correctness of reading or other defects in a meter shall be made by the person affected within a week of the reading so taken and where there is a dispute as to the correctness of the reading, the complaint shall be accompanied by a deposit of Rs. 5. No complaint made after the said period and not accompanied by requisite deposit shall be entertained. The deposit shall be returned if, on investigation, the meter is found to record incorrect reading or is otherwise defective in the opinion of the Executive Officer, but otherwise the deposit shall be appropriated by the Cantonment Board as a fee in lieu of the services of its officers and servants with a view to discourage frivolous complaints. The decision of the Executive Officer shall be final.

30. In case where the meter is found to give incorrect reading and is out of repair for any period exceeding one week, the consumption recorded during the corresponding week or weeks, during the year immediately preceding or where such record is not available such data as the Executive Officer consider most suitable, shall be deemed to be the basis for working out the charge and the quantity so arrived at, shall be deemed to be the actual consumption and the decision of the Executive Officer in the matter shall be final.

31. **Penalty.**—If any person contravenes any provision of these bye-laws other than the bye-laws for a contravention of which a specific penalty is provided in these bye-laws, he shall be punishable with fine which may extend to Rs. 50 and where the contravention is a continuing one, with an additional fine which may extend to Rs. 10 for every day during which such contravention continues after conviction for the first such contravention.

FORM "A"

(Bye law No. 8)

To

The Cantonment Executive Officer,
Deolali Cantonment.

Sir,

Subject:—Application under section 220 of the Cantonments Act, 1924 (2 of 1924).

I request you to grant house service connection to my premises No. _____
in _____ Street in Block No. _____ Deolali Cantonment for the
supply of water for DOMESTIC/NON-DOMESTIC use subject to the terms and

conditions laid down in the bye-laws framed by the Cantonment Board under clauses (32), (33) and (34) of section 282 of the Cantonments Act, 1924.

A detailed estimate of work prepared by a plumber licensed by the Cantonment Board beyond the stop cock inside the premises is enclosed herewith.

Place

Date

Signature of Applicant.

(2)

Water Supply Superintendent, Deolali Cantonment Board to put up a detailed estimate of cost for the grant of house service connection upto stock cock for carrying out the work departmentally within _____ days for approval by the Cantonment Board.

Executive Officer,
Deolali Cantonment.

(3)

Approved by Order of Cantonment Board, vide Resolution No. _____ dated the _____.

Executive Officer,
Deolali Cantonment.

(4)

The application will be sanctioned provided that a sum of Rs. _____ being the connecting fee and the cost of communication pipes, fittings required for providing house service connection from the Distribution Main to the stop cock is paid in the Cantonment Office within 15 days from this date.

If any sanctioned work be not completed by licensed plumber within 15 days from the date of sanction, the sanction will be considered void, and before the work may be begun, fresh sanction will have to be obtained.

Executive Officer,
Deolali Cantonment.

(5)

Water Supply Superintendent, Cantonment Board, Deolali to carry out the works mentioned in the attached estimate and report on completion.

Executive Officer,
Deolali Cantonment.

(6)

REPORT OF WATER SUPPLY SUPERINTENDENT

Deolali Cantonment.

House No.

Owner or Occupier.

Plumber.

New Work.

Extension.

Repairs.

Total Number of discharge cocks in premises.

Date of commencing work by Plumber.

Date completed.

For what purpose water to be used, i.e., Domestic/Non-Domestic.

I do hereby certify that I have personally inspected the work and that the foregoing information is correctly given; the work was carried out in a workman-like manner and the service connection was tested and found satisfactory under a pressure of _____ lbs.

Signature of Water Supply Superintendent,
Cantonment Board, Deolali.

S.R.O. 81, dated 15th Feb. 1957.—The following amendments to the Bye-laws prescribing conditions for licences issued under section 210(1)(m) of the Cantonments Act, 1924 (2 of 1924), to dealers in hay, straw, wood, charcoal or other inflammable material framed by the Cantonment Board, Deolali and published in the notification of Government of Bombay No. 1892/24-D, dated, the 16th December, 1956 is hereby published for general information, the same having been previously published, approved and confirmed by the Central Government, as required by sub-section (1) of section 284 of the said Act, namely:—

For bye-laws No. 213 of the said bye-laws, the following bye-law shall be substituted, namely:—

"213. Stacking of firewood, charcoal or hay.—No firewood charcoal or hay shall be stacked within a radius of 10 feet, 5 feet and 30 feet respectively from any building".

S.R.O. 82, dated 15th Feb. 1957.—In pursuance of sub-section (7) of section 13 of the Cantonments Act, 1924 (2 of 1924), the Central Government is pleased to notify that a vacancy has occurred in the Cantonment Board, Ramgarh, by reason of the acceptance by the Central Government of the resignation of Shri A. N. Chaubey, Magistrate, 1st class.

[No. 19/5/G/L&C/54/527-G/D(C&L).]

S.R.O. 83, dated 15th Feb. 1957.—In pursuance of sub-section (7) of section 13 of the Cantonments Act, 1924 (2 of 1924), the Central Government is pleased to notify that Shri P. P. Sinha, Magistrate, 1st class, has been nominated as a member of the Cantonment Board, Ramgarh, by the District Magistrate, Hazaribagh, in exercise of the powers conferred under section 13(3)(b) *ibid* vice Shri A. N. Chaubey, Magistrate, 1st class resigned.

[No. 19/5/G/L&C/54/527-G/D(C&L).]

S.R.O. 84, dated 15th Feb. 1957.—In pursuance of sub-section (7) of section 13 of Cantonments Act, 1924 (II of 1924), the Central Government is pleased to notify that a vacancy has occurred in the Cantonment Board, Ferozepore, by reason of the acceptance by the Central Government of the resignation of Maj. H. P. Jadhav.

[No. 19/4/G/L&C/56/529-G/D(C&L).]

S.R.O. 85, dated 15th Feb. 1957.—In pursuance of sub-section (7) of section 13 of the Cantonments Act, 1924 (II of 1924), the Central Government is pleased to notify the nomination of Capt. H. L. Lamba, as a member of the Cantonment Board, Ferozepore, *vice* Maj. H. P. Jadhav resigned.

[No. 19/4/G/L&C/56/529-G/D(C&L).]

S.R.O. 86, dated 16th Feb. 1957.—In pursuance of sub-section (7) of section 13 of Cantonments Act, 1924 (II of 1924), the Central Government is pleased to notify that a vacancy has occurred in the Cantonment Board, Ambala, by reason of the acceptance by the Central Government of the resignation of Lt. Col. R. Tripathy.

[No. 19/10/G/L&C/54.]

S.R.O. 87, dated 16th Feb. 1957.—In pursuance of sub-section (7) of section 13 of the Cantonments Act, 1924 (II of 1924), the Central Government is pleased to notify the nomination of Lt. Col. J. S. Chima, as a member of the Cantonment Board, Ambala, *vice* Lt. Col. R. Tripathy resigned.

[No. 19/10/G/L&C/54.]

S.R.O. 88, dated 21st Feb. 1957.—In pursuance of sub-section (7) of section 13 of Cantonments Act, 1924 (II of 1924), the Central Government is pleased to notify that a vacancy has occurred in the Cantonment Board, Ambala, by reason of the acceptance by the Central Government of the resignation of Maj. R. N. Kapur.

[No. 19/10/G/L&C/54/582-G/D(C&L).]

S.R.O. 89, dated 21st Feb. 1957.—In pursuance of sub-section (7) of section 13 of the Cantonments Act, 1924 (II of 1924), the Central Government is pleased to notify the nomination of Maj. R. N. Sharma, as a member of the Cantonment Board, Ambala, *vice* Maj. R. N. Kapur resigned.

[No. 19/10/G/L&C/54/852-G/D(C&L).]

PRITAM SINGH, Under Secy.